



ISTITUTO ITALIANO SICUREZZA DEI GIOCATTOLI SRL

TEST REPORT: 26.22011

This report is composed by 12 pages, of which:

- 2 pages for the Summary
- 4 pages for the Report 26.22011a
- 3 pages for the Report 26.22011b
- 3 pages for the Report 26.22011c

Date in sample: 11 May 2026

Issue date: 16 June 2026

MANUFACTURER Q19735

JORDAN CHALK

Jordan / Karak / Al-Hussien Bin Abdullah II Industrial
KARAK JORDAN

APPLICANT Q19735

JORDAN CHALK

Jordan / Karak / Al-Hussien Bin Abdullah II Industrial Estate
KARAK JORDAN

SAMPLE DESCRIPTION (no. 896750)

Chalk





ISTITUTO ITALIANO SICUREZZA DEI GIOCATTOLI SRL

TEST REPORT: 26.22011

dated 16 Jun 2026

SAMPLE DESCRIPTION (no. 896750)

Chalk


TEST PERFORMED


EN 71-1:2014 + A1:2018 Safety of Toys - Part 1: Mechanical and physical properties	Complies
EN 71-2:2020 Safety of toys - Part 2: Flammability	Complies
EN 71-3:2019 + A2:2024 - Migration of certain elements - Category I: Dry, brittle, powder like or pliable	Complies

NA = Not Applicable; NR = Not Required; NP = Not Performed

Note: the partial reproduction, any changes or modifications of this test report are prohibited. Sampling performed by the customer.
Data contained in the first page of this document have been declared by the client, the laboratory is not responsible for the results that could be influenced by such data.
Data related to the sample have been provided by the customer and the laboratory declines all responsibilities for them.
The results are exclusively referred to the samples tested as received by the laboratory unless otherwise specified.
Conclusions/judgments are expressed with exclusive reference to parts detailed in the following pages and based on limits there specified.
In case of methods involving extraction/purification steps, unless otherwise indicated, the recovery value is to be understood as within the range of specific acceptability limits and the recovery factor is not considered in the final calculation.
In case of multi-analyte determinations, unless otherwise specified, the sum is calculated using the Lower Bound approach: the parameters below their reporting limit do not contribute to the sum. If all individual analytes are below their respective reporting limits the sum will be set below the highest reporting limit.
DECISION RULE: The declaration of conformity is given not taking into account the measurement uncertainty, unless otherwise specified by the customer/reference standard, in accordance with the ILAC G8 Guide which defines the risk level of false acceptance and false rejection equal to 50%.
Where indicated, the expanded uncertainty is given with a coverage factor $k = 2$ and coverage level of 95%.
This report has the scope to resume results of tests required and performed and it is not a statement of the compliance of the product to all applicable legislations nor the result of an EC type examination. CE marking shall be applied on the product only when all requirements of Directive 2009/48/EC and of all other applicable Directives that require the EC marking are fulfilled. The product shall be marketed only in compliance with all applicable legislations.
Tests not accredited by ACCREDIA are indicated with the symbol " in following pages.

Unless otherwise specified, tests are performed at IISG Srl (Facility A) located in via Europa 28, 22060 Cabiato Como.


Physical Mechanical Laboratory Supervisor
Matteo Longoni


Chemical Laboratory Supervisor
Luciano Buraschi



ISTITUTO ITALIANO SICUREZZA DEI GIOCATTOLI SRL

TEST REPORT: 26.22011a dated 16 June 2026

This section is an integral part of the TEST REPORT 26.22011

DATES	APPLICANT
Test beginning: 31 Mar 2026	JORDAN CHALK
End of test: 16 Jun 2026	
AGE GRADING	SIZES
Labeled: + 2 years	X=135mm;Y=160mm;
For testing: over 10 months	Z=122mm



PACKING GRADING: window box

SAMPLE DESCRIPTION (no. 896750)

Chalk

REFERENCE STANDARDS

EN 71-1:2014 + A1:2018

Safety of Toys - Part 1: Mechanical and physical properties

•	4	GENERAL REQUIREMENTS	P
•	4.1	MATERIAL CLEANLINESS	P
•	4.7	EDGES	P
•	4.7.a	Edges of metal or glass	NA
•	4.7.b	Overlaps joints	NA
•	4.7.c	Burrs	P
•	4.7.d	Functional edges	NA
•	4.8	POINTS AND METALLIC WIRES	P
•	4.8.a	Hazardous sharp points	P
•	4.8.b	Functional points	NA
•	4.8.c	Metallic wires intended to be bent	NA
•	4.8.d	Metallic wires not designed to be bent	NA
•	4.8.e	Splinters and accessible edges	P
•	5	TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS	NA
•	5.1	GENERAL REQUIREMENTS	NA [§]
•	5.1.a	Small parts	NA
•	5.1.b	Hazardous conditions after abuse	NA
•	5.1.c	Metal points and wires with a cross section of 2 mm or less	NA
•	5.1.d	Large and bulky toys	NA
•	5.1.e	Glued wooden toys and toys with glued-on plastic decals	NA
•	5.1.f	Casing of toys intended for children too young to sit up unaided	NA
•	5.1.g	Foam toys and toys containing accessible foam components	NA
•	5.8	SHAPE AND SIZE OF CERTAIN TOYS	NA
•	5.8.a	Toys having a mass of 0.5 kg or less	NA



ISTITUTO ITALIANO SICUREZZA DEI GIOCATTOLI SRL

TEST REPORT: 26.22011a dated 16 June 2026

•	5.8.b	Toys with spherical, hemispherical or circular flared ends having a mass of 0.5 kg or less	NA
•	6	PACKAGING	NA
•	6.a	Bags made of flexible plastics used for external or internal packaging	NA
•	6.b	Drawstring or cord as a means of closing on bags made of flexible plastics	NA
•	6.c	Packaging and packaging components that are small balls	NA
•	6.d	Separable parts of packaging which is a small ball or that has a cylindrical shape with rounded end	NA
•	6.e	Hemispheric-shaped containers for toys intended for children under 3 years	NA
	7	WARNINGS, MARKINGS AND INSTRUCTIONS FOR USE	P §
	7.1	GENERAL	P
	7.2	TOYS NOT INTENDED FOR CHILDREN UNDER 36 MONTHS	NA

The requirements not shown in the present test report are not applicable to the product submitted to tests

Key:

P = Pass - F = Fail - NA = Not Applicable - NR = Not Required / Not Rated

ND = Not Declared

(*) This symbol identifies the results extended from the report 26.13275a

§ NOTES

5 TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS

5.1 GENERAL REQUIREMENTS

The requirements in 5.1 do not apply to the chalks.

7 WARNINGS, MARKINGS AND INSTRUCTIONS FOR USE

Warnings and instruction for use have been checked in english language according to the graphical layout received.

We remind you that all informations supplied with the toy shall be written in the language of the Country where the toy is sold.

EUROPEAN DIRECTIVE 2009/48/EC Safety of toys:

According to Directive 2009/48/EC (to be consulted for details and definitions):

- CE marking shall be present on the toy, its packaging or an affixed label clearly visible at the point of sale of the article.
- an identification number, the manufacturer and importer name, registered trade name or registered trade mark and addresses shall be present on the toy (or where it is not possible on its packaging or an accompanying document).
- instruction and safety information shall be in a language accepted by the State in which the product is marketed.

We noticed the absence of the following elements:

- the address of the manufacturer;
- the EU importer name, registered trade name or registered trade mark and address;

In addition, the CE mark on the box is not graphically correct (wrong proportion of the height of the letters; minimum height requested: 5 mm)



ISTITUTO ITALIANO SICUREZZA DEI GIOCATTOLI SRL

TEST REPORT: 26.22011a dated 16 June 2026

REFERENCE STANDARDS

EN 71-2:2020

Safety of toys - Part 2: Flammability

•	4	REQUIREMENTS	P
•	4.1	GENERAL REQUIREMENTS	P

The requirements not shown in the present test report are not applicable to the product submitted to tests

Key:

P = Pass - F = Fail - NA = Not Applicable - NR = Not Required / Not Rated

ND = Not Declared

(*) This symbol identifies the results extended from the report 26.13275a

TEST CONDITIONS:

Environmental test conditions:

a. Temperature: $(23 \pm 5) ^\circ\text{C}$

b. Humidity: <70 %



00271



ISTITUTO ITALIANO SICUREZZA DEI GIOCATTOLI SRL

TEST REPORT: 26.22011a dated 16 June 2026



Graphical layout received of markings on the box



ISTITUTO ITALIANO SICUREZZA DEI GIOCATTOLI SRL

TEST REPORT: 26.22011b dated 22 May 2026

This section is an integral part of the TEST REPORT 26.22011

DATES

Test beginning: 19 May 2026

End of test: 22 May 2026

APPLICANT

JORDAN CHALK



SAMPLE DESCRIPTION (no. 896750)

Chalk

Migration of Chromium (VI) - Category I: Dry, brittle, powder like or pliable

Method: EN 71-3:2019 + A2:2024

Instrument: LC-ICP-MS

Identification Parts

mg

Requirements

0,02

White Chalk

< 0,005

Orange Chalk

< 0,005

Black Chalk

< 0,005

Legend:

The symbol < followed by a number indicates that the concentration of the analyte is less than the reporting limit expressed by that number.

Where reported, the expanded uncertainty is associated with the test result and preceded by the symbol "±".

The results are expressed in mg/kg.

The value in mg following a part indicates the part quantity used for the test. It is indicated only if the part present in the sample is less than 100 mg (See EN 71-3:2019 + A2:2024 - Clause 7.2.2).

Requirements: EN 71-3:2019 + A2:2024 - Migration of certain elements - Category I: Dry, brittle, powder like or pliable

Reference: EN 71-3:2019 + A2:2024 - Migration of certain elements - Category I: Dry, brittle, powder like or pliable

Conclusion: The results found **COMPLY** with the above requirements.



ISTITUTO ITALIANO SICUREZZA DEI GIOCATTOLI SRL

TEST REPORT: 26.22011b

dated 22 May 2026

Organic Tin Migration - Category I: Dry, brittle, powder like or pliable

Method: EN 71-3:2019 + A2:2024

Instrument: GC-MS

Identification Parts mg Organic Tin

Requirements 0,9

White Chalk < 0,05

Orange Chalk < 0,05

Black Chalk < 0,05

Legend: The symbol < followed by a number indicates that the concentration of the analyte is less than the reporting limit expressed by that number.
Where reported, the expanded uncertainty is associated with the test result and preceded by the symbol "±".
The results are expressed in mg/kg.

The value in mg following a part indicates the part quantity used for the test. It is indicated only if the part present in the sample is less than 100 mg (See EN 71-3:2019 + A2:2024 - Clause 7.2.2).

Requirements: EN 71-3:2019 + A2:2024 - Migration of certain elements - Category I: Dry, brittle, powder like or pliable

Reference: EN 71-3:2019 + A2:2024 - Migration of certain elements - Category I: Dry, brittle, powder like or pliable

Conclusion: The results found **COMPLY** with the above requirements.



ISTITUTO ITALIANO SICUREZZA DEI GIOCATTOLI SRL

TEST REPORT: 26.22011b

dated 22 May 2026

Migration of certain elements - Category I: Dry, brittle, powder like or pliable																			
Method: EN 71-3:2019 + A2:2024										Instrument: ICP-MS									
Identification Parts	mg	Al	Sb	As	Ba	B	Cd	Cr III	Zn	Co	Cu	Pb	Mn	Hg	Sn	Se	Sr	Ni	
Requirements		2250	45	3,8	1500	1200	1,3	37,5	3750	10,5	622,5	2,0	1200	7,5	15000	37,5	4500	75	
White Chalk		< 50	< 10	< 1	< 50	< 50	< 0,05	< 10	< 50	< 5	< 50	< 0,3	< 50	< 5	< 50	< 10	< 50	< 10	
Orange Chalk		< 50	< 10	< 1	< 50	< 50	< 0,05	< 10	< 50	< 5	< 50	< 0,3	< 50	< 5	< 50	< 10	< 50	< 10	
Black Chalk		< 50	< 10	< 1	< 50	< 50	< 0,05	< 10	< 50	< 5	< 50	< 0,3	< 50	< 5	< 50	< 10	218	< 10	

Legend: The symbol < followed by a number indicates that the concentration of the analyte is less than the reporting limit expressed by that number.
Where reported, the expanded uncertainty is associated with the test result and preceded by the symbol "±".
The results are expressed in mg/kg.

The value in mg following a part indicates the part quantity used for the test. It is indicated only if the part present in the sample is less than 100 mg (See EN 71-3:2019 + A2:2024 - Clause 7.2.2).

The analytes determined are:

Al: Aluminium Sb: Antimony As: Arsenic Ba: Barium B: Boron Cd: Cadmium
Cr: Chromium Co: Cobalt Cu: Copper Pb: Lead Mn: Manganese Hg: Mercury
Ni: Nickel Se: Selenium Sr: Strontium Sn: Tin Zn: Zinc

Requirements: EN 71-3:2019 + A2:2024 - Migration of certain elements - Category I: Dry, brittle, powder like or pliable

Reference: EN 71-3:2019 + A2:2024 - Migration of certain elements - Category I: Dry, brittle, powder like or pliable

Conclusion: The results found **COMPLY** with the above requirements.



ISTITUTO ITALIANO SICUREZZA DEI GIOCATTOLI SRL

TEST REPORT: 26.22011c dated 16 June 2026

This section is an integral part of the TEST REPORT 26.22011

DATES

Test beginning: 08 Apr 2026

End of test: 16 Jun 2026

APPLICANT

JORDAN CHALK



SAMPLE DESCRIPTION (no. 896750)

Chalk

Migration of Chromium (VI) - Category I: Dry, brittle, powder like or pliable

Method: EN 71-3:2019 + A2:2024

Instrument: LC-ICP-MS

Identification Parts

mg

Requirements

0,02

• White Chalk (26.13275b)	< 0,005
• Yellow Chalk (26.13275b)	< 0,005
• Green Chalk (26.13275b)	< 0,005
• Light Blue Chalk (26.13275b)	< 0,005
• Orange Chalk (26.13275b)	< 0,005
• Pink Chalk (26.13275b)	< 0,005
• Violet Chalk (26.13275b)	< 0,005
• Black Chalk (26.13275b)	< 0,005

Legend:

The symbol < followed by a number indicates that the concentration of the analyte is less than the reporting limit expressed by that number.

Where reported, the expanded uncertainty is associated with the test result and preceded by the symbol "±".

The results are expressed in mg/kg.

The value in mg following a part indicates the part quantity used for the test. It is indicated only if the part present in the sample is less than 100 mg (See EN 71-3:2019 + A2:2024 - Clause 7.2.2).

Requirements: EN 71-3:2019 + A2:2024 - Migration of certain elements - Category I: Dry, brittle, powder like or pliable

Reference: EN 71-3:2019 + A2:2024 - Migration of certain elements - Category I: Dry, brittle, powder like or pliable

Conclusion: The results found **COMPLY** with the above requirements.

(*) This symbol identifies the results extended from the report shown in brackets



ISTITUTO ITALIANO SICUREZZA DEI GIOCATTOLI SRL

TEST REPORT: 26.22011c

dated 16 June 2026

Organic Tin Migration - Category I: Dry, brittle, powder like or pliable

Method: EN 71-3:2019 + A2:2024

Instrument: GC-MS

Identification Parts	mg	Organic Tin
Requirements		0,9

• White Chalk (26.13275b)	< 0,05
• Yellow Chalk (26.13275b)	< 0,05
• Green Chalk (26.13275b)	< 0,05
• Light Blue Chalk (26.13275b)	< 0,05
• Orange Chalk (26.13275b)	< 0,05
• Pink Chalk (26.13275b)	< 0,05
• Violet Chalk (26.13275b)	< 0,05
• Black Chalk (26.13275b)	< 0,05

Legend: The symbol < followed by a number indicates that the concentration of the analyte is less than the reporting limit expressed by that number.
Where reported, the expanded uncertainty is associated with the test result and preceded by the symbol "±".
The results are expressed in mg/kg.

The value in mg following a part indicates the part quantity used for the test. It is indicated only if the part present in the sample is less than 100 mg (See EN 71-3:2019 + A2:2024 - Clause 7.2.2).

Requirements: EN 71-3:2019 + A2:2024 - Migration of certain elements - Category I: Dry, brittle, powder like or pliable

Reference: EN 71-3:2019 + A2:2024 - Migration of certain elements - Category I: Dry, brittle, powder like or pliable

Conclusion: The results found **COMPLY** with the above requirements.

(*) This symbol identifies the results extended from the report shown in brackets



ISTITUTO ITALIANO SICUREZZA DEI GIOCATTOLI SRL

TEST REPORT: 26.22011c

dated 16 June 2026

Migration of certain elements - Category I: Dry, brittle, powder like or pliable																			
Method: EN 71-3:2019 + A2:2024										Instrument: ICP-MS									
Identification Parts	mg	Al	Sb	As	Ba	B	Cd	Cr III	Zn	Co	Cu	Pb	Mn	Hg	Sn	Se	Sr	Ni	
Requirements		2250	45	3,8	1500	1200	1,3	37,5	3750	10,5	622,5	2,0	1200	7,5	15000	37,5	4500	75	
• Yellow Chalk (26.13275b)		< 50	< 10	< 1	< 50	< 50	1,08	< 10	< 50	< 5	< 50	< 0,3	< 50	< 5	< 50	< 10	175	< 10	
• Green Chalk (26.13275b)		< 50	< 10	< 1	< 50	< 50	0,203	< 10	< 50	< 5	< 50	0,57	< 50	< 5	< 50	< 10	155	< 10	
• Light Blue Chalk (26.13275b)		< 50	< 10	< 1	< 50	< 50	1,16	< 10	< 50	< 5	< 50	0,68	< 50	< 5	< 50	< 10	147	< 10	
• Pink Chalk (26.13275b)		< 50	< 10	< 1	< 50	< 50	0,637	< 10	< 50	< 5	< 50	< 0,3	< 50	< 5	< 50	< 10	69	< 10	
• Violet Chalk (26.13275b)		< 50	< 10	< 1	< 50	< 50	0,163	< 10	< 50	< 5	< 50	1,29	< 50	< 5	< 50	< 10	171	< 10	

Legend: The symbol < followed by a number indicates that the concentration of the analyte is less than the reporting limit expressed by that number.
Where reported, the expanded uncertainty is associated with the test result and preceded by the symbol "±".
The results are expressed in mg/kg.

The value in mg following a part indicates the part quantity used for the test. It is indicated only if the part present in the sample is less than 100 mg (See EN 71-3:2019 + A2:2024 - Clause 7.2.2).

The analytes determined are:

Al: Aluminium Sb: Antimony As: Arsenic Ba: Barium B: Boron Cd: Cadmium
Cr: Chromium Co: Cobalt Cu: Copper Pb: Lead Mn: Manganese Hg: Mercury
Ni: Nickel Se: Selenium Sr: Strontium Sn: Tin Zn: Zinc

Requirements: EN 71-3:2019 + A2:2024 - Migration of certain elements - Category I: Dry, brittle, powder like or pliable

Reference: EN 71-3:2019 + A2:2024 - Migration of certain elements - Category I: Dry, brittle, powder like or pliable

Conclusion: The results found **COMPLY** with the above requirements.

(*) This symbol identifies the results extended from the report shown in brackets